

Kingrong Enterprise Ltd (Company Profile)

KRECO®

Kingrong Enterprise Ltd (trademark is KRECO®) was established in 2008, registered in Hong Kong, based in Shenzhen and ZhongShan, Guangdong, China. We are a company specializing in R&D, manufacturing and marketing consumer electronic products since 10 years ago.

Our mother company, Zhongshan Kingrong Electronics Co.,Ltd.(KRECO), since 2013, mainly doing on-line business for Watches, **the turnover for 2018 is 200M USD.**

KRECO has partner-cooperated and well-controlled with many different categories factories, since we have many good and closed friend resources in the marketing. Our products mainly focus on consumer electronic, include Bluetooth Earphone/Headphone, Bluetooth Speaker, Bluetooth Karaoke Microphone, Party Speaker, Bluetooth Soundbar Speaker, Clock Radio, Dynamo and Solar Radio, DAB Radio, Nostalgia/Retro Turntable Player, Smart Bracelet, Personal MP3 player, Electric toothbrush, E-Bike, Power Adaptor, AC Charger, Car Charger, USB Cable, Power Bank etc. Our products have got UL, ETL, FCC, FDA, Prop 65, CE (RED), GS, ROHS, REACH, SAA, BIS etc certifications to qualify with different markets requirements.

Under our high quality standard with competitive price in the market, we have been established a very good long-term relationships with our worldwide famous customers, including AIWA, IHOME, EMERSON, ION, AKAI, SELECT SOUND, MISIK, ALTEC LANSING etc. Our major markets are USA, Canada, Germany, UK, Italy, Spain, Australia, Japan, Mexico, India etc. KRECO has rich worldwide customer networks and won good reputation in international electronics field, we are keeping supply our customers develop with latest new technology to keep them advance from the international marketing, filled with varied challenges. Furthermore, with the powerful capacity in the field of our R&D dept., we are dedicated to achieve the fashion design and good performance for all kinds of our digital products. As one of leading developer and manufacturer in the consumer electronics products, we have proved ourselves by high quality and timely delivery. We are welcome for both OEM & ODM business from worldwide customers.

In order to realize the scientific management and credible quality, our factory has performed ISO9001/2015 system and passed the international BSCI factory audit, which has been operated in a proper way so that we have a perfect process for our management and production.

KRECO will move forward and blaze new trails in this industry field while continuously offering competitive products and good service to our honored customers forever, we hope our business with customers are always win-win and long-term.





KRECO 2 0 1 9

EARPHONE
HEADPHONE



Specifications and Accessories:

- Speaker Dimension: 40mm
- Sensitivity: $85 \pm 3 \text{dB@ 1Hz}$
- Impedance: $32 \text{OHM} \pm 15\%$
- Cable length: $120 \text{CM} \pm 10$
- Product Dimensions: $14 \times 7 \times 17 \text{CM}$

Packing Info

- * Unit size of package: $149 \times 65 \times 182 \text{mm}$
- * G.W. (unit package): 133g
- * Size of carton: $42.5 \times 30.9 \times 38.5 \text{cm}$ * Packing: 24PCS/ctn
- * N.W. (ctn): 3.2 KGS * G.W. (ctn): 3.85 KGS
- * Container Packing (20FT): 14760PCS
- * Container Packing (40FT): 29520PCS
- * Container Packing (40HQ): 32640PCS

MOQ=5000 PCS.



Specifications and Accessories:

- Speaker Dimension: 40mm
- Sensitivity: $85\pm 3\text{dB@ } 1\text{KHz}$
- Impedance: $32\text{OHM}\pm 15\%$
- Cable length: $120\text{CM}\pm 10$
- Product Dimensions: $15\times 7\times 16\text{CM}$

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Price: FOB Shenzhen

Based on injection color finish.

Upcost for hot printing on the two sides: +USD0.35.

MOQ=5000 PCS.



Specifications and Accessories:

- Speaker Dimension: 40mm
- Sensitivity: $85\pm 3\text{dB}@ 1\text{HKz}$
- Impedance: $32\text{OHM}\pm 15\%$
- Cable length: $120\text{CM}\pm 10$
- Product Dimensions: $16\text{x}7\text{x}17\text{CM}$

Packing Info

- * Unit size of package: $176*80*193\text{mm}$
- * G.W. (unit package): 240g
- * Size of carton: $43.2*37.7*46.8\text{cm}$ * Packing: 20PCS/ctn
- * N.W. (ctn): 4.80 KGS * G.W. (ctn): 6.30 KGS
- * Container Packing (20FT): 7700PCS
- * Container Packing (40FT): 16100PCS
- * Container Packing (40HQ): 18800PCS



Price: FOB Shenzhen;

Based on injection color finish.

Upcost for hot printing on the two sides: +USD0.35.

MOQ=5000 PCS.



Specifications and Accessories:

- Product Size: L150xW50xH180 MM
- Product Weight: 255 g
- Cable length: 1.5M.
- Available Color: Light blue, Pink, Yellow, Red, etc.
- Frequency range: 2.402-2.480GHz
- Sensitivity: 85dB
- Foldable and portable design.
- Unit material: Tempered Neodymium Magnet.
- Accessories include: USB charging cable, English Instruction Manual.



Packing Info

- * Unit size of package: 145*145*75MM
- * G.W. (unit package): 232g
- * Size of carton: 62x47x42CM * Packing: 72 PCS/ctn
- * N.W. (ctn): 1.85 KGS * G.W. (ctn): 2.50 KGS
- * Container Packing (20FT): 18000PCS
- * Container Packing (40FT): 36720PCS
- * Container Packing (40HQ): 40320PCS

Prices: FOB Shenzhen
Based on injection color finish.
MOQ=4480 PCS.



Specifications and Accessories:

- Speaker: 40mm
- Sensitivity : 115+/-3dB@1KHz
- Frequency: 20Hz-20KHz
- Impedance: 32OHM+/-%15
- Plug Capability:3.5mm Stereo
- Cable Length: 120CM±10
- Product Dimensions: 17x8x18CM

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Price: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- Speaker: 40mm
- Sensitivity : 100+/-3dB@1KHz
- Frequency: 20Hz-20KHz
- Impedance: 32OHM+/-%15
- Plug Capability:3.5mm Stereo
- Cable Length: 120CM±10
- Product Dimensions: 17x8x19CM



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

**Price: FOB Shenzhen ;
MOQ=5000 PCS.**



Specifications and Accessories:

- Speaker: 40mm
- Sensitivity : 100+/-3dB@1KHz
- Frequency: 20Hz-20KHz
- Impedance: 32OHM+/-%15
- Plug Capability:3.5mm Stereo
- Cable Length: 120CM±10
- Product Dimensions: 14x7x18CM



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Price: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- Speaker: 40mm
- Sensitivity : 95+/-3dB@1KHz
- Frequency: 20Hz-20KHz
- Impedance: 32OHM+/-%15
- Plug Capability:3.5mm Stereo
- Cable Length: 120CM±10
- Product Dimensions: 18x8x19CM

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Price: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: Bluetooth, V 5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Sensitivity: 85±3dB at 1KHz
- Battery: 350mAh
- Talk Time: ≥25Hrs
- Standby Time: ≥200 days
- Accessories: Charging cable
- Product Dimensions: 15x7x17CM

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: TBC * Packing: TBC PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- BT Version : BK,V 5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Sensitivity: 85±3dB at 1KHz
- Battery: 350mAh
- Talk Time: ≥20Hrs
- Standby Time: ≥200 days
- Accessories: Charging cable
- Product Dimensions: 16x8x18CM



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: TBC * Packing: TBC PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- Bluetooth Chipset: JL
- Bluetooth version: V4.2+EDR
- Transmission distance:10 m
- Playing time:3~4 hours
- standby time: 180 hours
- battery: 200 mAh rechargeable lithium battery
- Charging time: 1 hours
- Speaker: \varnothing 40 mm
- Sensitivity: 110 + 3dB S.P.L at 1KHZ
- Impedance:32 Ω
- Frequency response: 20hz-20khz
- Rated power: 15mW * 2
- Music playback time: 3~4h
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices: FOB Shenzhen
MOQ=5000 PCS.



Prices: FOB Shenzhen
MOQ=5000 PCS.

Specifications and Accessories:

- Bluetooth Chipset: JL
- Bluetooth version: V4.2+EDR
- Transmission distance:10 m
- Playing time:3~4 hours
- standby time: 180 hours
- battery: 200 mAh rechargeable lithium battery
- Charging time: 1 hours
- Speaker: Ø 40 mm
- Sensitivity: 110 + 3dB S.P.L at 1KHZ
- Impedance:32 Ω
- Frequency response: 20hz-20khz
- Rated power: 15mW * 2
- Music playback time: 3~4h
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC



Specifications and Accessories:

- BT Version: Bluetooth, V5.0
- Speaker Dimension: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Battery: 200mAh
- Talk Time: ≥9Hrs@50%volume
- Standby Time: ≥200Hrs
- Non-foldable
- Product Dimensions: 17x7x19CM
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices: FOB Shenzhen
Based on UV coating finish.
MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: Bluetooth, V5.0
- Speaker Dimension: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Battery: 200mAh
- Talk Time: ≥9Hrs@50%volume
- Standby Time: ≥200Hrs
- Non-foldable
- Product Dimensions: 17x7x19CM
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC



Prices: FOB Shenzhen
Based on UV color.
MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: JL,V 5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Battery: 350mAh
- Talk Time: ≥13Hrs@50%volume
- Standby Time: ≥260Hrs
- Foldable design
- Product Dimensions: 17x8x19CM
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices:

FOB Shenzhen (Without rubber coating);

FOB Shenzhen (With rubber coating);

MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: JL,V 5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Battery: 350mAh
- Talk Time: ≥13Hrs@50%volume
- Standby Time: ≥260Hrs
- Foldable design
- Product Dimensions: 17x8x19CM
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices:

FOB Shenzhen (Without rubber coating);

FOB Shenzhen (With rubber coating);

MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: JL,V 5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Battery: 350mAh
- Talk Time: ≥13Hrs@50%volume
- Standby Time: ≥260Hrs
- Foldable design
- Product Dimensions: 16x9x19CM
- Accessories include: USB charging cable, English Instruction Manual.

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices:

FOB Shenzhen (Without rubber coating);

MOQ=5000 PCS.

Private Tooling



Prices: FOB Shenzhen;
MOQ=5000 PCS.

Specifications and Accessories:

- Product Size: TBC MM
- Available Color: Black, etc.
- Bluetooth Solution: Jieli 6925D
- BT version: Bluetooth V4.2+EDR
- BT protocol: AVRCP1.4,A2DP1.2,HFP1.6,HSP1.2
- Frequency range: 2.402-2.480GHz
- Sensitivity: 85dB
- Build-in 3.7V/350mAH rechargeable battery.
- Charge time: 2-3 hours.
- Working time: 5-6 hours.
- **LED disco light on both sides.**
- Accessories include: USB charging cable, English Instruction Manual.



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: 50*42*60 CM * Packing: 50 PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Private Tooling



Prices: FOB Shenzhen
MOQ=5000 PCS.

Specifications and Accessories:

- Product Size: TBC MM
- Available Color: Black, White, Yellow, etc.
- Bluetooth Solution: Jieli 6925D
- BT version: Bluetooth V4.2+EDR
- BT protocol: AVRCP1.4,A2DP1.2,HFP1.6,HSP1.2
- Frequency range: 2.402-2.480GHz
- Sensitivity: 85dB
- Build-in 3.7V/350mAH rechargeable battery.
- Charge time: 2-3 hours.
- Working time: 5-6 hours.
- **Rubber painted cabinet.**
- Accessories include: USB charging cable, English Instruction Manual.



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: 50*42*60 CM * Packing: 50 PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Private Tooling



**Prices: FOB Shenzhen;
MOQ=5000 PCS.**

Specifications and Accessories:

- Product Size: TBC MM
- Available Color: Black, White, Red, etc.
- Bluetooth Solution: Jieli 6925D
- BT version: Bluetooth V4.2+EDR
- BT protocol: AVRCP1.4,A2DP1.2,HFP1.6,HSP1.2
- Frequency range: 2.402-2.480GHz
- Sensitivity: 85dB
- Build-in 3.7V/350mAH rechargeable battery.
- Charge time: 2-3 hours.
- Working time: 5-6 hours.
- **UV finish cabinet.**
- Accessories include: USB charging cable, English Instruction Manual.



Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: 50*42*60 CM * Packing: 50 PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC



Specifications and Accessories:

- BT Version : BK, V5.0
- Speaker: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Sensitivity: 102±3dB at 1KHz
- Battery: 350mAh
- Talk Time: ≥20Hrs
- Standby Time: ≥200 days
- Accessories: Charging cable, AUX cable
- Product Dimensions: 17x7x17CM

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Prices: FOB Shenzhen
MOQ=5000 PCS.



Specifications and Accessories:

- BT Version: BK, V5.0
- Speaker Dimension: 40mm
- Frequency: 20Hz-20KHz
- Working distance: 10 meters
- Sensitivity: 102±3dB at 1KHz
- Battery: 350mAh
- Talk Time: ≥20Hrs
- Standby Time: ≥200 days
- Accessories: Charging cable, AUX cable
- Product Dimensions: 16x8x18CM

Packing Info

- * Unit size of package: TBC MM
- * G.W. (unit package): TBC
- * Size of carton: CM * Packing: PCS/ctn
- * N.W. (ctn): TBC KGS * G.W. (ctn): TBC KGS
- * Container Packing (20FT): TBC
- * Container Packing (40FT): TBC
- * Container Packing (40HQ): TBC

Price (Non-Foldable): FOB Shenzhen;
Price (Foldable): FOB Shenzhen;
MOQ=5000 PCS.